




LOUIS MARX & CO.

200 FIFTH AVENUE

NEW YORK 10, N. Y.

ACCESSORY CATALOG





HELLO, FELLOW RAILROADER...

We are happy to present you with this Louis Marx Company Train and Accessories Catalog. You will find all items to be of superior quality, yet priced so low that you can build a bigger and better railroad system year after year.

In producing our electric trains and accessories, we have kept pace, like modern railroads, with the latest developments in design and operation. Our accessories are so authentic, so up-to-the-minute — they will thrill the best informed and most critical railroader. Yet they are so simple . . . and so completely safe that youngsters and parents alike can operate them with full confidence.

Your dealer will be happy to demonstrate any of the interesting and exciting accessories in this catalog.

Sincerely,


GEORGE C. DESSLER,
Sales Manager

REMOTE
CONTROL

AUTOMATIC
COUPLING

PLASTIC and
STEEL



**AUTOMATIC
UNCOUPLING SYSTEM**
Short-proof



**434
AUTOMATIC SINGLE
BLOCK SIGNAL**



**1392
LIFTBRIDGE**




**1426
FLASHER-WAGGER
SYSTEM**

**403
MARKER LIGHT**




3/16 SCALE



2940 — LIGHTED SWITCHMAN'S TOWER. Of sturdy plastic. As train approaches tower, switchman, bearing flag, appears. Other man moves from window to controls. Windows are of acetate. House is lighted by bulb. 7½" high, 4½" wide, 7¼" long.

5.00




1426 — FLASHER SWINGING ARM CROSSING SIGNAL. Twin lights blink on and off while the swinging stop signal moves back and forth to halt traffic at crossing. Complete with all necessary wires and track connectors. 7½" high, base 3¼" by 3½".


4.50

439 — AUTOMATIC SEMAPHORE W/LIGHT HOUSING. Base and standard are finished in dull black metal. Light housing is chrome plated. Fully automatic. Red, amber and green filters. Complete with clips and connectors. 9½" high; base 3¼" x 2½".


3.00



454 - AUTOMATIC ELECTRIC BLOCK SIGNAL. Train stops on red, proceeds on green. Two sections track — one curved and one straight. Complete with bulbs and connectors. All metal. Measures 7" high. 2.50



434 - AUTOMATIC SINGLE BLOCK SIGNAL. Metal. Green light shows as train approaches, changes to red until last car has passed. With bulb, long rail clip, connector. Die cast base, chrome ladder. Measures 8" high. 3.00



1420 - AUTOMATIC GRADE CROSSING SIGNAL MAN. As train approaches the crossing, gate lowers, door opens, watchman appears bearing a stop signal in hand. Overall width when gate lowered—11½". Metal. With plastic grade crossing and wires for attaching to train. 5.00

STURDY STEEL




418 — ELECTRIC BELL RINGING CROSSING SIGNAL. Bell rings as train passes. Fully automatic. Realistically designed of all metal. Complete with track connectors. Measures 7½" high. **2.00**

1438 — AUTOMATIC DOUBLE-ARM LIGHTED CROSSING GATE. Large gate for train track equipped with red lantern. Smaller gate for pedestrian crossing. Overall measurements — 13½" long. Metal. **4.00**


419 — ELECTRIC SINGLE LIGHT LAMP POST. Attractively designed in heavy metal — appropriately detailed. Complete with all attaching equipment. Measures 7½" high, 2¾" diameter base. **1.25**

423 — ELECTRIC AUTOMATIC FLASHER. Lights flash on and off as train passes. All metal. Comes complete with bulbs and track connector. Realistically designed, fully automatic. Measures 7¾" high. **2.00**


ACCESSORIES




416 — ELECTRIC FLOODLIGHT TOWER. Newly designed. With two movable floodlights mounted on girder type elevated structure. Made of steel. Bulbs, track connector included. 11 $\frac{1}{4}$ " high; base 3 $\frac{3}{4}$ " square. 2.00



429 — TWIN LIGHT LAMP POST. Constructed of steel. Baked enamel finish with double light reflectors. Two frosted bulbs and track connector included. 7 $\frac{1}{2}$ " high; base - 2 $\frac{3}{4}$ " in diameter. 2.00



438 — AUTOMATIC CROSSING GATE. Lithographed in black and white, red reflectors. Arm lowers as train passes. All necessary wires, track clips. 7 $\frac{1}{2}$ " high; base 2 $\frac{3}{4}$ " square. Gate arm 9" long. 2.00



413—ELECTRIC LIGHTED SWITCHMAN'S TOWER. All metal. Mounted on girder type elevated structure. Window is made of acetate. Switchman stands at door. Bulb and track connector included. 9 $\frac{1}{4}$ " high. 1.75



4412 — RAILROAD STATION. Beautifully lithographed. Complete with plastic figures in action poses. Measures 20½" long, 10" wide and 6½" high. **2.50**




2960 — REMOTE CONTROL WHISTLING STATION. Press a button, locomotive wails as it speeds around track. Mechanism enclosed in lithographed steel station 9" long. Control panel, connector and wires included.

5.00



5424 — RAILROAD FREIGHT TRUCKING STATION. Beautifully lithographed. With plastic trucks, figures and accessories. Measures 28 $\frac{3}{4}$ " long, 11" wide, 8" high.....5.00



2980 — RAILROAD STATION W/REMOTE CONTROL DIESEL HORN. Press button, locomotive horn sounds as train speeds down track. Mechanism enclosed in lithographed station 9" long. Control panel, connector and wires included.....5.00




072 — ELECTRIC LIGHTED LAMP POST. Modern design. Large base and fluted post. Base is notched for attaching to train layout. With bulb, necessary wires and connector. 6" high..... 60¢



065 — WATER TOWER WITH SPOUT. Sturdy plastic tower. Tank has realistic ribs and steel type under-structure. Adjustable spout. Authentic colors. 8½" high, tank 4½" in diameter..... 1.25

0416 — ELECTRIC FOUR-LIGHT FLOOD-LIGHT TOWER. Floodlights mounted on top of plastic girder-type tower, can be tilted or turned. Metal ladder. With bulbs, wire and connector. 13" high. 3.00



0446 — ELECTRIC REVOLVING BEACON. Red and green reflectors mounted on top of girder type plastic tower with metal ladder. Light bulb and wires included. Beacon 12½" high..... 2.50

0465 — WATER TOWER W/BUBBLING TUBE. Plastic tank has girder type understructure. Transparent tube from base to tank. Heat, generated by bulb in base, creates bubbles in tube. 14 $\frac{1}{4}$ " high. **3.00**



074 — BOULEVARD LAMP POST. Modern design. Large base and fluted post. Base is notched for attaching to train layout. Furnished with bulb and track connector. 6 $\frac{1}{4}$ " high. **.75¢**

0436 — ELECTRIC TWIN SEARCHLIGHT TOWER. Powerful searchlights may be turned or tilted, are mounted on plastic girder-type tower. Metal ladder. With bulbs, wire, connector. 13 $\frac{1}{2}$ " high, base — 4 $\frac{1}{2}$ ". **3.00**



0442 — DERRICK LOADER. Derrick and crane mounted on top of high structure. Crane housing and crane turn in a complete circle on platform. Plastic. 8" long, 4" wide, 8 $\frac{3}{4}$ " high. **1.75**



**44544 - UNIT TWIN DIESEL
LIGHTED PASSENGER TRAIN SET.**

Locomotive (General Motor's Santa Fe design), rear unit, passenger car, Astro-dome car, observation car. 3 sections straight, 8 sections curved track. Automatic couplers. Underwriter's approved transformer. Locomotive has powerful headlight, oilless bronze bearings. Train measures 58" long.

ELECTRIC TRAIN SETS




**25346 - SIX UNIT ELECTRIC WORK
TRAIN SET.** Locomotive, tender, pipe car, wrecker, lumber car, caboose. 5 sections straight track, 8 sections curved track. Automatic uncouplers, remote control mechanism. Underwriters approved transformer. Die cast locomotive equipped with headlights, bronze oilless bearings. Wrecker actually works — loads and unloads pipe and lumber cars. Train measures 47½" long.



36566 — 6 UNIT ELECTRIC STEAM-TYPE FREIGHT SET. Remote control locomotive, tender, tank car, hopper, box car, caboose. 8 sections curved, 5 sections straight track. Uncoupling ramp. Underwriter Approved transformer. Locomotive has powerful headlight, oilless bronze bearings, is made of high impact plastic. Colorful, well detailed. Measures 53 $\frac{1}{4}$ " long.

FROM \$9.98 to \$19.98



4222 — FIVE UNIT ELECTRIC FREIGHT TRAIN SET. Steam type locomotive, tender, hopper, tank car, caboose. 8 sections curved track, 2 sections straight. 45 Watt Underwriter's Approved transformer. Remote control mechanism operates forward and reverse. Locomotive and tender of high impact plastic, cars of lithographed steel. Locomotive equipped with oilless bronze bearings. Train measures 35 $\frac{1}{2}$ " long.

much current
shapes,
rate
measures
\$3.00



**1249 — UNDERWRITER APPROVED
TRANSFORMER**


45 watt. 110-120 volt, 60 cycle AC.
Built-in circuit breaker protects trans-
former. Red re-set button. 1 set posts
for accessories, 1 set for variable speed
of train. 6 ft. cord, connector. 3 $\frac{3}{8}$ " high.

7.50

**1549 — UNDERWRITER APPROVED
TRANSFORMER**

70 watts. 110-120 volt, 60 cycle AC.
Built-in circuit breaker protects trans-
former. Red re-set button. 1 set posts for
accessories, 1 set for variable speed of
train. 6 ft. cord, connector 3 $\frac{3}{8}$ " high.

10.00



**1409 — UNDERWRITER APPROVED
TRANSFORMER**

75 watt. 110-120 volts, 60 cycle AC.
Built-in circuit breaker, reverse control
lever. Binding posts for accessories,
variable speeds of train. Air-cooled base.
6 ft. cord and track connector. 5-1/16"
high.

12.50



150 WATT
OUTPUT



425 — CIRCUIT BREAKER

2 plastic lenses show "Short Circuit" when circuit is broken. For sets not equipped with circuit breakers. Eliminates possibility of burning out transformer. 4½" high, base 4½" x 3¾".....**2.00**



**1859 — 150 WATT
TOY TRANSFORMER**

Massive controller-type in enclosed plastic case with air-cooled metal base. Transformer is protected by a magnetic circuit breaker which will instantly turn off current in case of a short. Top slopes, has large red indicator handle to operate trains at various speeds. Case measures 7¾" wide, 8" deep, 6" high.....**15.00**




SANTA FE
2731

NEW YORK CITY
NYC

R I
147

SANTA FE





474SM - 5 UNIT SMOKING FREIGHT SET.

Mechanical, smoking locomotive, tender, tank car, gondola, caboose. 4 sections straight, 8 sections curved track. Locomotive actually emits harmless, non-toxic smoke. Built-in governor regulates speed of train. Train measures 35½" long.

MECHANICAL TRAINS —



563 - 5 UNIT FREIGHT SET W/ HEADLIGHT.


Mechanical, heavy duty steam type locomotive, tender, gondola, tank car, caboose. 4 sections straight, 12 sections curved track, 1 crossover. Locomotive equipped with brake, clock-spring motor, built-in governor. Train measures 35¾" long.



1479—5 UNIT REVERSING FREIGHT SET W/SWITCHES.

Mechanical, Reversible locomotive, tender, gondola, box car, caboose. 6 sections straight, 10 sections curved track. Locomotive moves forward or reverse, has long-running clockspring motor. Train measures 35½" long.

FROM \$3.00 to \$6.00




754 — 5 UNIT DIESEL STREAMLINER FREIGHT SET.

Mechanical "City of Denver" diesel locomotive, gondola, tank car, box car, caboose. 4 sections straight, 8 sections curved track. Locomotive has built-in governor, brake, long-running clock-spring motor. Train measures 34½" long.



1



3



2



5



4



6

1 3832 — AIRPORT SET. With people and accessories. 8 $\frac{3}{4}$ " long. 2.00

2 3792 — RANCH SET. With people, house, accessories. 10 $\frac{1}{2}$ " long. 2.00

3 3812 — FACTORY SET. People and accessories. 12 $\frac{1}{2}$ " long. 2.00

4 3781 — FIREHOUSE SET. W/fire truck and people. 8 $\frac{1}{8}$ " long. 1.25

5 3861 — BARN SET. With people and animals. 9 $\frac{1}{4}$ " long. 1.25

6 3881 — RR STATION SET. With people. 11 $\frac{3}{4}$ " long. 1.25



7



8



9



10



3891 — Service Station Set

1.25



3721 — Police Station Set

1.25



3741 — Army Barrack Set

1.25

7 3771 — DINER SET. With people and shrubbery. 9½" long. 1.25

8 3871 — RANCH TYPE HOUSE SET. With people. 9" long. 1.25

9 3851 — CHURCH SET. With people, 6¾" long. 1.25

10 3802 — COLONIAL HOUSE SET. Furniture, people. 12" long. 2.00




3822 — Schoolhouse Set

2.00

0226 — LIGHTED BILL BOARD. Made of sturdy plastic in latest design. Lighted internally. 6" wide, 3 $\frac{3}{8}$ " high. With bulb and wire.....

59¢




0405 — SPOT-LITE. With removable lens and sturdy plastic swivel base. Authentically designed. Comes with bulb and wires. 1 $\frac{1}{8}$ " high.....

59¢




0782 — RAILROAD FIGURES. In life-like poses. Molded of sturdy plastic. Standing figures measure about 1 $\frac{1}{2}$ " high, others in proportion.....

10¢ each




1282 — RAILROAD "RIGHT-O-WAY" SET. 12 signs in exact shapes as seen along railroad systems. White with raised black letters. 2 $\frac{3}{8}$ " high. Set of 12.....

75¢



0221 — AUTOMATIC SIGNAL SET. Semaphore, crossing sign, gate. For mechanical or .027 gauge electric trains. Semaphore 6", others to scale.....

1.75



061 — TELEPHONE POLES. Authentically designed. Made of sturdy brown plastic. Two arm poles. Measure 7" in height. Set of 12.....

75¢




1324 — TRESTLE BRIDGE W/REVOLVING BEACON. All steel, embossed rivets. Aluminum finish. 18" x 5" x 6 1/4".....2.50


1320 — Same as above, no beacon light.
1.50



403 — MARKER LIGHT. Red bull's eye lens on each side. Fits any "0" or "027" gauge track. 3 1/4" long, 1 1/8" wide, 1 1/2" high. .90¢




392 — COLLAPSIBLE METAL TUNNEL. Lithographed landscape design. Is arranged so that tunnel may be split in two. 10 3/4" long, 7" high.....1.00



1392 — LIFTING RAILROAD BRIDGE. Manually operated with simple gear control. Authentically designed. Finished in aluminum. 19" x 5 1/4" x 2 1/4".....3.50

1340 — RAILROAD FOOT BRIDGE CROSSING. 5 heavy gauge interlocking sections of steel. Baked enamel finish. Simple to set up. 13 1/2" x 15" x 7 1/2". 1.25




1305 — GIRDER BRIDGE. Constructed of steel. Baked enamel finish. Authentic decals on sides. 12" long, 5 1/8" wide, 2" high. 1.00



1095/1095D - TWIN DIESEL LOCOMOTIVE. Scale model, latest type twin unit diesel locomotive in Sante Fe design. Accurately detailed in sturdy plastic with authentic railroad motif. Locomotive is equipped with oilless bronze bearings, die cast wheels and bright headlight. Remote Control reversing mechanism and automatic coupler. 24½" long, 2¾" wide, 3⅝" high.15.00




1094/1094D - TWIN DIESEL LOCOMOTIVE. Scale model, latest type twin unit diesel locomotive in New York Central design. Accurately detailed in sturdy plastic with authentic railroad motif. Locomotive is equipped with oilless bronze bearings, die cast wheels and bright headlight. Remote control reversing mechanism and automatic coupler. 24½" long, 2¾" wide, 3⅝" high. 15.00



1895/04551 — HEAVY FREIGHT SYSTEM LOCOMOTIVE. All plastic 3/16" scale model with 4-6-4 automatic coupler. Appropriately designed in minute detail. Locomotive equipped with die cast wheels, powerful headlight in front of boiler. Compound piston rod action. Pony trucks front and rear. Powerful 6 wheel drive. Motor has oilless bronze bearings. Measures 18" long, 2½" wide and 3⅝" high.....15.00



496/951A — ELECTRIC R. C. STEAM TYPE LOCOMOTIVE AND TENDER. Locomotive powered by heavy duty motor equipped with oilless bronze bearings, piston rod action, die cast wheels. Bright headlights. Coal and water type tender is of steel, lithographed in railroad design. Overall length — 16⅓".....7.50



No. 3588

3588 — LIGHTED OBSERVATION CAR.
(Scale). Lithographed passenger coach with colored plastic window strips. Silhouettes show through. 10 $\frac{3}{4}$ " long. 4.50



No. 3597

3597 — LIGHTED ASTRA DOME CAR.
(Scale). Lithographed passenger coach with colored plastic window strips. Silhouettes show through. 11" long. 4.50

3587 — LIGHTED PASSENGER COACH.
(Scale). Lithographed steel. Colored plastic window strips, silhouettes show through. Measures 11" long. 4.50



No. 3587

04572 — DROP END GONDOLA.
Plastic. In authentically detailed "Erie" design. Black with white letters. Measures 9 $\frac{1}{4}$ " long, 2" wide, 2 $\frac{1}{4}$ " high. 2.50



No. 04572



No. 04555

04555 — PLASTIC BOX CAR. Authentically detailed "Rock Island" design. Dark red with white letters. Measures 9" long, 2 $\frac{1}{8}$ " wide, 3 $\frac{1}{4}$ " high. 2.50



No. 04554

04554 — PLASTIC HOPPER CAR. In authentically detailed "Lehigh Valley" design. Black with orange letters. Measures 9 $\frac{5}{8}$ " long, 2 $\frac{3}{8}$ " wide, 2 $\frac{5}{8}$ " high. 2.50




No. 04556

04556—PLASTIC CABOOSE. Authentically detailed in "Santa Fe" design. In red with black letters. Measures 7" long, 2" wide and 3 $\frac{1}{8}$ " high. 2.50



No. 04563

04553—PLASTIC TANK CAR. Authentically detailed in "UTLX" design. Metal hand rail and ladders. Chassis black, tank silver with red letters. 8 $\frac{5}{8}$ " long. 2.50




No. 04553


3575—SCALE CATTLE CAR. Authentic railroad design. Four wheel trucks with automatic coupler and sliding door. 8 $\frac{1}{2}$ " long, 2 $\frac{1}{4}$ " wide, 2 $\frac{3}{4}$ " high. 2.25

3582—SCALE HIGH SIDE GONDOLA. Accurately detailed in "Chesapeake & Ohio" design. Measures 8 $\frac{1}{2}$ " long, 2" wide, 2 $\frac{1}{4}$ " high. 2.25


3555—SCALE BOX CAR. Attractively lithographed in assorted designs. Measures 8 $\frac{1}{2}$ " long, 2 $\frac{1}{4}$ " wide, 2 $\frac{5}{8}$ " high. 2.25




No. 3575




No. 3582



No. 3555




601 — ELECTRIC STRAIGHT
TRACK. .027 gauge. Of tin
plate with 3 supporting ties.
8 $\frac{1}{8}$ " long. 20¢



602 — ELECTRIC CURVED
TRACK. .027 gaugē. Of tin
plate with 3 supporting ties.
10 $\frac{1}{2}$ " long. 20¢




607 — ELECTRIC CROSSOVER
TRACK. .027 gauge. Measures
7 $\frac{1}{2}$ " by 7 $\frac{1}{2}$ ". 1.25




1802 — LARGE RADIUS
CURVED ELECTRIC TRACK.
Tin plate rails, 5 supporting
ties. 12 $\frac{1}{2}$ " long. Forms 34°
radius. 25¢



0605 — LIGHTED
DEAD END BUMPER.
Of sturdy plastic. When
stationed at the end of any
open spur line, prevents cars from rolling off.
With electric bulb housing. 3" long, 1 $\frac{1}{8}$ " wide,
2" high. 1.50




1624 — UNCOUPLING
UNIT SET. Built into
standard lengths of electric straight track. May
be installed at any desired spot. 75¢






1610 - ELECTRIC REMOTE CONTROL SWITCH WITH LIGHTS.

 Set of remote control electric switches for use on .027 gauge track layouts.
All necessary control cables furnished together with four button
remote control panel. Green and red lights on switches
indicate which track is open. Switch measures 9 $\frac{3}{4}$ " x 5 $\frac{1}{4}$ " ... 10.00



HAND OPERATED
ELECTRIC TRAIN
SWITCHES. For .027
gauge. Red and
green lights. 1 left, 1
right. ... 3.50

1590 - REMOTE CONTROL
ELECTRIC TRAIN
SWITCHES. For .027
gauge track. Automatic
control, 4 button panel.
Left and right hand
switch. ...



Most train sets come complete with an oval track. To enlarge this type of layout, you simply add sections of straight track in any even amount.

The next step in enlarging a track layout would be to create a figure "8". Extra equipment consists of a crossover, plus 4 sections of curved track. Figure "8" can be enlarged by adding straight track in any even amount.

No train layout is complete without switches... these can be added to form double or dead end tracks.